


Structural Basis for Substrate Specificity and Catalysis of α1,6-Fucosyltransferase

Description

Core-fucosylation is an essential biological modification by which fucose is transferred from GDP- \hat{l}^2 -L-fucose to the innermost N-acetylglucosamine residue of N-linked glycans. A single human enzyme $\hat{l}\pm 1,6$ -fucosyltransferase (FUT8) is the only enzyme responsible for this modification via the addition of $\hat{l}\pm -1,6$ -linked fucose to N-glycans.

To date, the details of substrate recognition and catalysis by FUT8 remain unknown. THe article reports the crystal structure of FUT8 complexed with GDP and a biantennary complex N-glycan. The quality of the resolution of the three-dimensional structure (PDB with accession code 6TKV) offers highly detailed insights into both substrate recognition and catalysis.



FUT8 follows an S_N^2 mechanism and deploys a series of loops and an \hat{l}_{\pm} -helix which all contribute in forming the binding site. An exo-site, formed by one of these loops and an SH_3 domain, is responsible for the recognition of branched sugars, making contacts specifically to the $\hat{l}_{\pm}1,3$ arm GlcNAc, a feature required for catalysis.

PS. At the time the article was published on 20-02_2020 an article entitled â??Structural basis of substrate recognition and catalysis by fucosyltransferase 8â?• co-authored by M.A. JärvÃ¥, M. Dramicanin, J.P. Lingford, R. Mao, A. John, K. Jarman, R.W. Grinter & E.D. Goddard-Borger appeared as a bioRxix preprint doi: https://doi.org/10.1101/2020.02.14.949818.

Category

1. News